

# CCL Z2

New Retail Self-Checkout



Self-Checkout



Self Order



Guidance



Facial Pay

Actual product is subject to technical changes.

CCL TECH SAS  
info@cclyun.com

## CCL Z2

Technical Data



Wall-mounting Holder



Scale Holder



Table Holder

Windows		Android	
21.5" / 27"	1920*1080	Display	21.5" / 27" 1920*1080
True-flat PCAP touch with multi-touch support		Touch	True-flat PCAP touch with multi-touch support
i3 / i5		Processor	RK3288 / RK3399
4G / 8G		System Memory	2G / 4G
128G / 256G		Storage Device	16G / 32G
Lan 10 / 100 / 1000Mbps		network	Lan 10 / 100 / 1000Mbps
Zebra		Scanner	Zebra
Epson M30		Printer	Epson M30
M.2 WiFi		WiFi	M.2 WiFi / BT module
RGB Color LED Indicator		Status Indicator	RGB Color LED Indicator
3 tracks ISO		MSR	3 tracks ISO



# APOLLO S2

New Retail Self-Checkout



Windows



Multifunctional Thermal Print  
Interface



Dual Screen  
Interaction

Actual product is subject to technical changes.

## CCL S2

Technical Data



### Windows

Display	15"
Touch	True-flat PCAP touch with multi-touch support
Processor	Celeron / i3 / i5
System Memory	4G / 8G
Storage Device	128G / 256G
network	Lan 10 / 100 / 1000Mbps
WiFi	M.2 WiFi
MSR	3 tracks ISO

CCL TECH SAS  
info@cclyun.com



# APOLLO S2-P

New Retail Self-Checkout



Android



Windows



Multifunctional  
Interface



Dual Screen  
Interaction

Actual product is subject to technical changes.

CCL TECH SAS  
info@cclyun.com

## CCL S2-P

Technical Data



Windows		Android	
15.6" 1920*1080	Display	15.6" 1920*1080	
True-flat PCAP touch with multi-touch support	Touch	True-flat PCAP touch with multi-touch support	
Celeron / i3 / i5	Processor	RK3399	
4G / 8G	System Memory	4G	
128G / 256G	Storage Device	16G	
Lan 10 / 100 / 1000Mbps	network	Lan 10 / 100 / 1000Mbps	
M.2 WiFi	WiFi	M.2 WiFi / BT module	
RGB Color LED Indicator	Status Indicator	RGB Color LED Indicator	
3 tracks ISO	MSR	3 tracks ISO	



# APOLLO S2-F

New Retail Self-Checkout



Android



Windows



Multifunctional Interface




Thermal Print

Actual product is subject to technical changes.

CCL TECH SAS  
info@cclyun.com

## CCL S2-F

Technical Data



Windows		Android	
15.6" 1920*1080	Display	15.6" 1920*1080	Display
True-flat PCAP touch with multi-touch support	Touch	True-flat PCAP touch with multi-touch support	Touch
Celeron / i3 / i5	Processor	RK3399	Processor
4G / 8G	System Memory	4G	System Memory
128G / 256G	Storage Device	16G	Storage Device
Lan 10 / 100 / 1000Mbps	network	Lan 10 / 100 / 1000Mbps	network
M.2 WiFi	WiFi	M.2 WiFi / BT module	WiFi
RGB Color LED Indicator	Status Indicator	RGB Color LED Indicator	Status Indicator
3 tracks ISO	MSR	3 tracks ISO	MSR

